




1650 Retriever Jon Deluxe



Specs



GENERAL	1650 RETRIEVER JON DELUXE	
Overall Length	16'	4.87 m
Boat/Motor/Trailer Height	5' 8"	1.72 m
Boat/Motor/Trailer Length	18' 6"	5.64 m
Boat/Motor/Trailer Width	6' 7"	2.00 m
Beam	74"	188 cm
Chine width	50"	127 cm
Transom Height	20"	51 cm
Deadrise	3.5°	
Weight (Boat only, dry)	565#	256 kg
Max Weight Capacity	1,051#	477 kg
Max Person Weight Capacity	4	
Max HP Capacity	50	
Fuel Capacity	Portable	

HULL



Aluminum gauge bottom	0.100"
Aluminum gauge sides	0.100"
Aluminum gauge transom	0.100"

Colors

STANDARD

-  Painted, interior & exterior (Olive drab)
-  Painted, interior & exterior (Marsh Tan)

OPTIONAL

-  Camouflage paint (Mossy Oak Breakup)
-  Camouflage paint (Mossy Oak Shadowgrass)
- Crest-Liner interior coating

Features

CONSOLE/INSTRUMENTATION

Switch panel

FLOORING

Aluminum floor, flat

SEATING

Pedestal base (bow)

Seat, bench, winged w/seat track (stern)

STORAGE/CONVENIENCE

Platform, low (bow)

Battery tray

Storage compartments, dual lids (bow)

ROD STORAGE

Rod storage (starboard) (holds 3 @ 7' capacity)

LIVEWELLS/BAITWELLS

Livewell, 16 gal. aerated (bow)(42Lx10Wx9D)

INTERIOR FEATURES

Lanyard, ignition stop switch

Level flotation

Light, navigation

Side panels

Wood-free construction

Bilge pump (manual)

EXTERIOR FEATURES

Hull, aluminum, all-welded

Keel, extruded full length, welded (center)

Rib construction, cross & side

Ribs, extruded, extra strength

Spray rails, formed

Paint Process, Enamel

Gunnel, extruded w/lock track system

Strakes, formed 1-1/4" (6)

Eyes, stainless steel (bow & stern)

ACCESSORIES

Trolling motor outlet, w/wiring harness (12V capable) (bow)

TRAILER

Basic 1800LB Bunk Painted Black Trailer

Options

SEATING

Seat clip (male)

Seat, Deluxe, Mossy Oak Shadowgrass w/ clip (no pedestal)

Seat, Deluxe, Mossy Oak Shadowgrass w/ pedestal (factory installed)

ACCESSORIES

Jet modification

Transducer bracket, welded

Lock Track rope eye (cleat/blind tie down) (no bracket required)

Lock Track rod holder (no bracket required)

Lock Track shotgun shell and drink holder (no bracket required)

Lock Track tree holder (no bracket required)

Lock Track 5" accessory mounting bracket

Battery charger, 1 bank

Battery charger, 2 bank

Gunbox, 42" w/rod tubes & cushion (Mossy Oak Break-Up)

Gunbox, 42" w/rod tubes & cushion (Mossy Oak Shadowgrass)

Trolling motor outlet, w/6-gauge wiring harness (24V capable) (bow)

Transom saver

TROLLING MOTORS

MotorGuide X3 45/45" 12V

MinnKota Edge 45/45" 12V

TRAILERS

Basic 1800LB Bunk Painted Black Trailer

Basic 1800LB Bunk Galvanized Trailer

Trailer ratchet tie-downs

Spare tire, w/Blk Mnt(ST175/80R13C)1.5X3

Spare tire, w/Galv Mnt(ST175/80R13C) 1.5X3

ENGINES

Mercury 20ML FourStroke

Mercury 20ELH FourStroke

Mercury 25ML EFI FourStroke

Mercury 25ELH EFI FourStroke

Mercury 25ELHPT EFI FourStroke

Mercury 30ELH GA EFI FourStroke

Mercury 30ELHPT EFI FourStroke

Mercury 40ELH GA EFI FourStroke

Mercury 40ELHPT EFI FourStroke

Mercury 50ELHPT EFI FourStroke

Mercury Jet 25ELH GA FourStroke

Mercury Jet 40ELPT EFI FourStroke (requires Big Tiller Handle)