




PT 20



Specs

GENERAL	PT 20	
Overall Length	20'5"	6.22 m
Boat/Motor/Trailer Height	5'10"	1.78 m
Boat/Motor/Trailer Length	24'3"	7.39 m
Boat/Motor/Trailer Width	8'2"	2.49 m
Beam	96"	244 cm
Chine width	70"	178 cm
Transom Height	20"	51 cm
Deadrise	9°	
Weight (Boat only, dry)	1567#	711 kg
Max Weight Capacity	1363#	618 kg
Max Person Weight Capacity	4	
Max HP Capacity	200	
Fuel Capacity	32 gal.	121 L

HULL

Aluminum gauge bottom	.110"
Aluminum gauge sides	.110"
Aluminum gauge transom	.110"

Features

CONSOLE/INSTRUMENTATION

Console, starboard w/rotary switch panel, instrument panel w/multifunction black sterling gauges, 12V power outlet, tool holder, space for 9" flush mount electronics and windscreen

- Steering wheel, stainless steel w/comfort grip
- Hydraulic steering
- Speedometer/fuel and tachometer/trim multifunction gauges, black sterling
- Horn

FLOORING

Carpet, 16 oz. marine-grade, w/aluminum flooring

SEATING

- Seat, modified bucket (2)
- Seat, Pro fishing w/pedestal
- Seat, butt, removable w/adjustable pedestal
- Pedestal floor bases (2)

Colors

STANDARD

- Black Metallic exterior w/Gray interior
- Silver Metallic exterior w/Gray interior
- White exterior w/Gray interior

OPTIONAL

- Black Metallic base w/White accent
- White base w/Silver Metallic accent
- Silver Metallic base w/Red Flame Metallic accent

STORAGE/CONVENIENCE

Platform (bow)

Storage compartment w/removable trays (port & starboard, bow)

Recessed trolling motor foot control (bow)

Space for 7" flush mount electronics (forward bow)

Tool holder (bow)

Bow step w/dry storage

Storage compartment (between modified bucket seats)

Platform (stern)

Storage compartment, insulated (port & starboard, stern)

Storage compartment, battery (stern)

Trolling motor battery storage (stern)

Drink holders (3)

ROD STORAGE

Rod storage, lockable w/side storage (center, bow) (10 tubes @ 8'6" capacity)

Rod/Gear storage, lockable (port & starboard, bow) (each holds 12 @ 8'6" capacity)

Rod ramp w/topside rod straps (port)

LIVEWELLS/BAITWELLS

Livewell, 45 gal. aerated & fully insulated w/dual lids, divider, timer & recirculating system w/pump out (stern) (38.5Lx17Wx16D)

INTERIOR FEATURES

Wood-free construction

Lanyard, ignition stop switch

Level flotation

Side panels

Bilge pump (automatic)

Light, navigation

Lights, courtesy

Crestliner transom plate

EXTERIOR FEATURES

Paint process, urethane

Hull, aluminum, all-welded

Keel, extruded full length, welded (center)

Rib construction, cross & side

Ribs, extruded, extra strength

Gunnel, extruded

Spray rails, formed

Cleats, black (4)

Strakes, formed 1-1/4" (6)

Transom drain plug

Eyes, stainless steel (bow & stern)

ACCESSORIES

12V power outlet (bow)

Trim switch (bow)

Navigation light switch (bow)

Trolling motor hardwired 6 gauge harness (bow)

MotorGuide X5 70/45" 24V Trolling Motor

TRAILER

Premium 3100LB Bunk Painted Black Trailer

Options

CONSOLE/INSTRUMENTATION

Console, port w/glove box and windscreen

SEATING

Seat, butt, removable w/adjustable pedestal (each additional)

Seat, center

Seat, Pro fishing w/power pedestal (each additional)

ACCESSORIES

Transducer bracket, welded

Stereo, Boss w/bluetooth, USB phone charging & 2 speakers

Hot Foot throttle

Transducer bracket, welded (2)

Battery charger, 3 bank

Fire extinguisher

CANVAS

Cover, custom travel, ratchet

Cover, custom travel, ratchet, dual console

DEPTH/FISHFINDER

Lowrance HDS7 Touch Sonar Fishfinder

Lowrance Hook 7

TROLLING MOTORS

Minn Kota Fortrex Trolling Motor 36V/112/50 Exchange

TRAILERS

Premium 3100LB Bunk Painted Black Trailer

Premium 3100LB Bunk Aluminum Trailer

Premium 4500LB Bunk Painted Black Tandem Trailer

Trailer ratchet tie-downs

Spare tire, Mag Alum Wheel w/Galv Mnt(ST215/75R14C)

Spare tire, Mag Alum Wheel w/Mnt(ST215/75R14C)

ENGINES

Mercury 150L FourStroke

Mercury 150L Pro XS OptiMax

Mercury 200L Pro XS OptiMax